


Т Н Н Д,  
ТОПЛИВНЫЕ ФИЛЬТРЫ







RIFUGIONE BEPPE






КАПЕЛНИК ИДЕЯСЫ





КАРДАННАЯ ПЕРЕДАЧА





4148

ICTEMA






# ТРЕНАЖЕР ДЛЯ ИЗУЧЕНИЯ ПРАВИЛ ПРОЕЗДА РЕГУЛИРУЕМОГО ПЕРЕКРЕСТКА ТРП-2М



КР.	ПОДСИГНАЛИЗАЦИЯ	СЕТЬ	ПД
СЕРВО	МАГНИТ	ПЕШ	МАГН

ОАО ДОСААФ  
МВСК





**ОБОРУДОВАНИЕ И ПРАВИЛА ПРОЕЗДА  
ЖЕЛЕЗНОДОРОЖНОГО ПЕРЕЗДА**

**ЖЕЛЕЗНОДОРОЖНЫЙ ПЕРЕЗД СО ОБЪЕЗДНОЙ  
ЖЕЛЕЗНОДОРОЖНЫЙ ПЕРЕЗД БЕЗ ОБЪЕЗДНОЙ**

**ВЕНДУТАЛ ЖЕЛЕЗНА ДОРГА  
МАДУПУТАЛ ЖЕЛЕЗНА ДОРГА**

**ПРИЛОЖЕНИЯ К ЖЕЛЕЗНОДОРОЖНОМУ ПЕРЕЗДУ**



**ОБОРУДОВАНИЕ И ПРАВИЛА ПРОЕЗДА  
ЖЕЛЕЗНОДОРОЖНОГО ПЕРЕЕЗДА**

**ЖЕЛЕЗНОДОРОЖНЫЙ ПЕРЕЕЗД СО ВРАЩАЮЩИМСЯ  
ЖЕЛЕЗНОДОРОЖНЫМ ПЕРЕЕЗДОМ БЕЗ МАГАЛАМА**

Железнодорожный переезд со вращающимся переездом без магалма устанавливается на расстоянии от 1000 до 100 м от железнодорожных путей. Ширина проезжей части должна быть не менее 3,5 м. Железнодорожный переезд со вращающимся переездом без магалма устанавливается на расстоянии от 1000 до 100 м от железнодорожных путей. Ширина проезжей части должна быть не менее 3,5 м.

**ОДНОПУТНАЯ ЖЕЛЕЗНАЯ ДОРОГА  
МНОГПУТНАЯ ЖЕЛЕЗНАЯ ДОРОГА**

Железнодорожный переезд устанавливается на расстоянии от 1000 до 100 м от железнодорожных путей. Ширина проезжей части должна быть не менее 3,5 м. Железнодорожный переезд устанавливается на расстоянии от 1000 до 100 м от железнодорожных путей. Ширина проезжей части должна быть не менее 3,5 м.

**ПРЕДУПРЕЖДЕНИЕ И ПОМОЩЬ ПРИ НЕОЖИДАННОМ ПЕРЕЕЗДЕ**

Железнодорожный переезд устанавливается на расстоянии от 1000 до 100 м от железнодорожных путей. Ширина проезжей части должна быть не менее 3,5 м. Железнодорожный переезд устанавливается на расстоянии от 1000 до 100 м от железнодорожных путей. Ширина проезжей части должна быть не менее 3,5 м.





**ТРАНСПОРТНЫЕ СИГНАЛЫ**

A panel titled "ТРАНСПОРТНЫЕ СИГНАЛЫ" (Traffic Signals) featuring various colored lights (red, yellow, green) and symbols, including a red 'X' and a green 'V'.



Учебная документация

Учебная документация (Educational documentation) featuring a license and a diagram.

A large grid of various traffic signs, including warning signs (triangles), prohibitory signs (circles with red borders), and mandatory signs (circles with blue borders).





CHERLEHBE





















1000-1000-1000-1000











СИСТЕМА ПИТАННЯ



# ОПЛИВНЫЕ ФИЛЬТРЫ









### АВТОМОБИЛЬ-ТРАКТОР КАМАЗ-4310

This technical illustration shows the exterior of a brown Kamaz-4310 truck and a detailed view of its dashboard. The dashboard features a steering wheel on the left, a speedometer, and several other gauges and switches. The truck is shown from a front-three-quarter view, highlighting its boxy design and large wheels.

### ПОДВЕСКА

This diagram provides an exploded view of the truck's chassis suspension system. It shows the front and rear axles, steering knuckles, shock absorbers, and various mounting brackets. The components are arranged to show their relative positions and how they fit together. The diagram is labeled with various parts and includes technical specifications.

### СИСТЕМА ОХЛАЖДЕНИЯ ДВИГАТЕЛЯ

This detailed diagram illustrates the engine cooling system. It shows the engine block, a large radiator, various hoses, and a cooling fan. The system is designed to circulate coolant to keep the engine at an optimal temperature. The diagram includes labels for different components and a schematic of the coolant flow.

### 30-СВ

This smaller diagram shows a component of a vehicle, possibly a headlight or a mirror, with a circular gauge-like element. It includes a schematic diagram and some technical text, though the details are less clear than the other diagrams.

АВТОМОБИЛЬ ТИПУ КАМАЗ - 4310



ПОДВЕСКА



СИСТЕМА ОХЛАЖДЕНИЯ ДВИГАТЕЛЯ



СИСТЕМА СМАЗКИ ДВИГАТЕЛЯ



